


2.4GHz 3216 Chip Antenna: ANT3216R2400A1M1

Applications:

WLAN, 802.11b/g, Bluetooth, etc...

Features

SMD, high reliability, ultra compact, Omni-directional...



Part number

ANT 3216 R 2400 A1 M1
(1) (2) (3) (4) (5) (6)


(1) Product Code	Chip
(2) Size Code	3.2x1.6mm
(3) Packing	Tape and reel
(4) Frequency	2.4GHz
(5) Series	A1
(6) Type	M1

Electrical Specification

Working Frequency Range	2400 ~2484 MHz
Peak Gain	0.5 dBi (Typ.)
Impedance	50 Ohm
VSWR	2.5 (Max)
Polarization	Linear
Azimuth Beamwidth	Omni-directional
Operation Temperature(°C)	40~85°C

The specification is defined on EVB.

Dimension and Terminal Configuration




Dimension (mm)	
L	3.20±0.15
W	1.60±0.15
T	0.55±0.10
D	0.50±0.15



No.	Terminal Name
1	Feeding
2	Soldering

Evaluation Board Reference

PCB Dimension



Antenna Layout Reference



Unit : mm

: Chip Antenna



: Land Pattern

2.4GHz 3216 Chip Antenna: ANT3216R2400A1M1


Electrical Characteristics

VSWR & Radiation


VSWR&Efficiency





Radiation Pattern



ZX-Plane






Horizontal Polarization






Vertical Polarization

ZY-Plane




XY-Plane



Taping Specifications


Reel and Taping Specification

Reel Specification



TYPE	SIZE		A	ψB	ψC	ψD	W	ψM
3216	7"	3K/Reel	2.0 ± 0.5	13.5 ± 1.0	21 ± 1.0	60 ± 1.0	11.5 ± 2.0	178 ± 2.0


Taping Specification



Packaging	Type	A	B	W	E	F	G	H	T	ψD	P
Paper Type	3216	1.90 ± 0.20	3.50 ± 0.20	8.0 ± 0.20	1.75 ± 0.10	3.5 ± 0.05	4.0 ± 0.10	2.0 ± 0.05	0.75 ± 0.10	1.50 ± 0.10	4.0 ± 0.1

Recommended Reflow Profile

Pb free solder



Soaking			Working		Soldering		Peak
Temp.		Time	Temp.	Time	Temp.	Time	Temp.
T1	T2	t1	T3	t2	T4	t3	T5
150°C	180°C	60 to 120sec	230°C	more than 30sec	247 to 253°C	within 10sec	260°C Max.

APR. 2023 Ver.01